

*Livestock needs love, compassion
and precious care...*



Quality Products of :






ARYAN REMEDIES INC.








ISO 9001:2018 & GMP certified co.


Help Line : +91 9627 012 249

e-mail: aryanremediesincorporation@gmail.com






FEED SUPPLEMENTS

PRODUCT	COMPOSITION	INDICATIONS	DOSAGE/USAGE	PACK
CALARY GOLD Liquid Calcium, Vitamins & Minerals feed supplement	Each 100 ml contains: Calcium 3500 mg Phosphorus 1750 mg Cobalt 5 mg Chelated Chromium 8 mg Chelated Copper 120 mg Iodine 6 mg Potassium 2 mg Vitamin D3 15000 IU Vitamin C 10 mg Vitamin B12 200 mcg Carbohydrate 20000 mg Asparagus racemosus 1000mg Leptadina reticulata 1000 mg Piper longum 400 mg	Metabolic disorder due to deficiency of Minerals & Vitamins. Extra supplementation during pregnancy & after calving. Prevention of milk fever. Management of mastitis. Prolapse of uterus.	Cow & Buffalo : 100 ml daily Calves : 10-20 ml daily Poultry : Each 100 Birds Chicks : 10 ml daily Layers : 20 ml daily Broilers : 30 ml daily Dosases may be doubled in case of heavy mineral dificiency. Or as directed by veterinary practitioner.	 1 L, 5L & 20L
GESTA Liquid Herbal Uterine Tonic with Energy & Iron.	Each 100 ml contains: Kalongi 300 mg Chitrak 300 mg Harmal 250 mg Majeeth 200 mg Soya 200 mg Bel haldi 150 mg Himkamal 150 mg Ajvayan 150 mg Nagarmotha 100 mg Issarmul 100 mg Kalihari 100 mg Kapas 50 mg Indrayan 50 mg Neem 50 mg Niacinamide 250 mg Carbohydrate 10 mg Iron 500 mg	<ul style="list-style-type: none"> Empowers the uterine muscles to expel the placenta (Foetal membrane) and regulates locheal discharge after parturition. Enhances the involution of uterus. Useful in case of metritis & pyometra. Removes post parturition stress conditions. 	Large animals : 100-200 ml daily for 15-20 days Small animals : 30-50 ml daily for 15-20 days For complete expulsion of placenta 100 ml liquid should be administered every six hours until the desired results are obtained. Or as directed by veterinary practitioner.	 1 Ltr
YAKRIBEST Liquid Liver Detoxifier enriched with Silymarine.	Each 5 ml contains: Solanum nigrum 600 mg Eclipta alba 400 mg Silybum matianum 200 mg Andrographis paniculata 200 mg Boerhaavia diffusa 200 mg Ocimum sanctum 200 mg Carium copticum 200 mg Tephrosia purpurea 200 mg	<ul style="list-style-type: none"> Stimulates liver function Guards the liver against drug induced toxicity Helps to metabolise and utilise feed nutrients Increases the secretion and flow of the bile 	Cattle & Horse : 50 ml daily Calves, Sheep & Goat : 30 ml daily Poultry : Per 100 birds Chicks : 10 ml Growers : 20 ml Layers, Broilers & Finishers : 30 ml Or as directed by veterinary practitioner.	 1 Ltr & 5 Ltr
VITONE-H Liquid Vitamins concentrate with Biotin (Vit H)	Each 5 ml contains: Vitamin A 20000 IU Vitamin D3 10000 IU Vitamin C 50 mg Vitamin E 50 mg Vitamin H (Biotin) 15 mcg	<ul style="list-style-type: none"> Immune stimulation Reduction in stress Growth promoter Alongwith antibiotics as adjuvent therapy. Controls early chick mortality. Ensures udder health and development. 	Cow & Buffalo : 10ml/day Dog & Calves : 2-5 ml/day Sheep & Goat : 5 ml/day Poultry : Each 100 birds Chicks : 10 ml Growers : 20 ml Layers, Broilers & Finishers : 30 ml Or as directed by veterinary practitioner.	 100ml & 1 Ltr
RENOL Liquid Kidney fresher	Each 10 ml contains: Gokhru 60mg Tulsi 200 mg Daruhaldi 500 mg Sudh Shilajeet 250 mg Varun Chha 300 mg Charila 300 mg Giloe 250 mg Kamal Gata 200 mg Pashanbed 200 mg Shwheat Perpati 250 mg Kulthi 300 mg Sugar q.s. Colour Flavour & Preservative added	<ul style="list-style-type: none"> Prevents gout condition Optimises renal performance Controls uric acid formation 	Each 100 birds per day Chicks : 5 ml-15 ml Layers : 15 ml-20 ml Broilers : 10 ml-20 ml Breeders : 20 ml- 40 ml Or as directed by veterinary practitioner.	 1 Ltr & 5 Ltr








PRODUCT	COMPOSITION	INDICATIONS	DOSAGE/USAGE	PACK
ABOLITE Liquid High Energy supplement for post calving period	Nutritional supplement of gluconeogenic precursors fortified with nicotinamide	<ul style="list-style-type: none"> Prevents keton body formation Enhances ruminal fermentation Fulfils energy requirements Optimises milk production Increases appetite 	Cow & Buffalo : 200 ml daily Dog, Sheep & Goat : 100 ml daily Or as directed by veterinary practitioner.	 1 Ltr
GRO-BOOST Bolus Unique herbal digestive formulation	Each bolus contains: Saccharomyces cerevisiae 17.5 Billion CFU (Live yeast culture SC-47) Bovizyme 500mg Propionibacterium freudenreichii 100mg Sea Flora 1000mg Cobalt chloride 100 mg Nux Vomica 700mg Antimony Potassium tartrate 100mg	<ul style="list-style-type: none"> Improves Liver function Suggested in Anorexia. Adjuvent therapy along with antibiotics 	Cow & Buffalo : 1-2 Bolus twice daily Calves, Goat & Sheep : 1/2-1 Bolus twice daily Or as directed by veterinary practitioner.	 10*4 Bolus
CYCLO 7 Bolus Mineral feed supplement	Each uncoated bolus contains: Cobalt chloride 56mg Cobalt sulphate 700mg Iodine 140mg Iron 140mg Manganese sulphate 50mg Selenium 4mg Zinc 280mg Excipient q.s.	<ul style="list-style-type: none"> Regulates oestrus cycle, Maintains healthy pregnancy Ensures normal parturition Improves breeding efficiency 	2 Bolus BD for 10 days Or as directed by veterinary practitioner.	 10*4 Bolus
MASTI SAFE Powder Ideal in management of Mastitis	Herbal Preparation along with Serratiopeptidase	<ul style="list-style-type: none"> Helpful in clinical & subclinical mastitis Helpful in reducing udder inflammation & pain Helpful in facilitating complete milking from affected teats Helpful in checking blood secretion in milk Helpful in complete Udder care 	Cow & Buffalo : 30gms twice daily for 5 days Or as directed by veterinary practitioner.	 60 gm
MAGICAL Liquid Oral calcium suspension	Each 5ml contains: Calcium 100mg Phosphorus 51.5mg Vitamin D3 40I.U. Vitamin B12 5mcg Excepients q.s.	<ul style="list-style-type: none"> For stronger bones For healthy skin & better muscuar health Prevention of reckits & ketosis 	Puppies - 5ml twice a day Adult Dogs - 10ml twice a day Or as directed by veterinary practitioner.	 200 ml
OXYT Powder A broad spectrum water antibiotic	Oxytetracycline hydrochloride 10%	<ul style="list-style-type: none"> Improves feed efficiency Improves productivity Checks growth of harmful bacteria Check mortality 	ROUTINE USE: 1.0 to 2.0 g / 1 Lt of drinking water. TREATMENT USE: 2.5to 5g/1 Lt of drinking water for 7-10 days Or as directed by veterinary practitioner.	 500 gm
ARPRO Liquid Mineral mixture feed supplement	Per 500ml contains: Methionine Hydroxy Analogue 127.60g Lysine hydrochloride 63.125g Choline chloride 63.125g Magnesium 595.40 mg Sodium 459.00mg Manganese 384.55mg Iron 223.40mg Zinc 215.70mg Cobalt 206.25mg Copper 158.80mg Phosphorus 154.16mg	<ul style="list-style-type: none"> Reduces stress including heat stroke Improves growth and body weight For high quality eggs Compensates mineral deficiency Helpful in management of lameness 	Per 100 birds Broilers : 5-10ml Layers : 10-20ml Or as directed by veterinary practitioner.	 5 Ltr

PRODUCT	COMPOSITION	INDICATIONS	DOSAGE/USAGE	PACK
ARLYTE Powder Essential electrolytes	Each 250gm contains: Sodium Chloride 2.00gm Dextrose Anhydrous 195gm Sodium Bicarbonate 7.50gm Potassium chloride 12.5gm Calcium chloride 5gm Betaine Anhydrous 7.5gm Vitamin C 2.91 gm Excipient q.s.	<ul style="list-style-type: none"> Maintains essential electrolytes Optimises fluid balance Boosts instant energy 	1 gm in 2 liters of drinking water for 7 days Or as directed by veterinary practitioner.	 250gm & 1 Kg



INJECTIONS

PRODUCT	COMPOSITION	INDICATIONS	DOSAGE/USAGE	PACK
CEFREM-3 The most trusted Ceftriaxone	Each vial contains : Ceftriaxone Sodium I.P. 3.0 g eq to Anhydrous Ceftriaxone	<ul style="list-style-type: none"> Mastitis, Haemorrhagic Septicemia, Bronchopneumonia, Nephritis, Cystitis, Endometritis, Pyometra, Actinobacillosis, Osteo-Arthritis and Pre-operative care. 	Cattle & buffalo-5-10mg/kg body weight Calf, sheep and goat-10-15mg/kg body weight, Dog and cat-15-25mg/kg body weight. Daily for 3-5 days IM/IV. Or as directed by veterinary practitioner.	 3 gm
CEFREM-S The most trusted combination of Ceftriaxone & Sulbactam	Each vial contains : Ceftriaxone Sodium I.P. (Sterile) 3.0 g eq to Anhydrous Ceftriaxone Sulbactam Sodium USP (Sterile) 1.5 g eq to Anhydrous Sulbactam	<ul style="list-style-type: none"> Mastitis, Haemorrhagic Septicemia, Bronchopneumonia, Nephritis, Cystitis, Endometritis, Pyometra, Actinobacillosis, Osteo-Arthritis and Pre-operative care. 	Cattle & buffalo-5-10mg/kg body weight Calf, sheep and goat-10-15mg/kg body weight Dog and cat-15-25mg/kg body weight. Daily for 3-5 days IM/IV. Or as directed by veterinary practitioner.	 4.5 gm
ARMOXIL-C For bacterial infection management	Each vial contains : Amoxicillin Sodium I.P. 1.75 g eq to Anhydrous Amoxicillin Cloxacillin Sodium 1.75 g eq to Anhydrous Cloxacillin	<ul style="list-style-type: none"> Mastitis, Haemorrhagic, Bronchitis, Pneumonia, Nephritis, Calf scours, Bacterial gastroenteritis, Metritis, Pyometra, Leptospirosis, Listeriosis, Cystitis, Otitis, Externa and Entera. 	Cattle and buffalo- 6-10mg/kg body weight Dog and cat-15-25mg/kg body weight Daily for 3-5 days IM/IV. Or as directed by veterinary practitioner.	 3.5 gm
PARCET-N Relief from fever, pain and inflammation	Each ml contains : Nimesulide BP 100 mg Paracetamol IP 150 mg Benzyl Alcohol IP 2% v/v Water for injection IP q.s.	<ul style="list-style-type: none"> Non-steroidal anti-inflammatory drug (NSAID) of the oxicam class which acts by inhibition of prostaglandin synthesis, thereby exerting anti-inflammatory, anti-endotoxic, ant-exudative, analgesic and antipyretic properties. 	IM/IV As directed by veterinarian.	 99 ml
ARMECTIN Effective parasite killer	Each ml contains : Ivermectin IP 31.5 mg Benzyl Alcohol IP 2% v/v	<ul style="list-style-type: none"> Injection is indicated for the effective treatment and control of internal & external parasites of cattle, sheep & camel. 	Cattle: 1 ml per 50 kg body weight by SC route. Or as directed by veterinary practitioner.	 99 ml


INJECTIONS

PRODUCT	COMPOSITION	INDICATIONS	DOSAGE/USAGE	PACK
ARENFLOX Superior antibiotic	Each ml contains : Enrofloxacin IP 100 mg Benzyl Alcohol IP 1.5% v/v Water for injection I.P. q.s.	<ul style="list-style-type: none"> For the treatment of diseases caused by Gram-positive, Gram-negative bacteria as well as <i>Mycoplasma</i> species. 	Administer a single injection of 3 ml / 40 kg body weight. The administered dose should not exceed 15 ml at a single site in cattle. For IM, SC and slow IV. Or as directed by practitioner.	 99ml
ARVITAM The complete multivitamin formulation	Each ml contains : Cyanocobalamin IP 33.3 mcg Pyridoxine HCL IP 3.3 mg Thiamine HCL IP 33.3mg Niacinamide IP 33.3 mg Roboflavin Sodium 1.66 mg Phosphate IP D-Panthenol IP 1.66 mg Water for Injection IP q.s.	<ul style="list-style-type: none"> Supportive treatment of Indigestion resulting from Rumen & Liver dysfunction. Conjoint to Anti-infective treatment. 	1 ml per 40 kg body weight I/M, I/V route for Or as directed by practitioner.	   99ml
MELOSID-P The effective pain reliever	Each ml contains : Meloxicam BP 5 mg Paracetamol IP 150 mg Benzyl Alcohol IP 2% v/v Lignocaine HCL IP 1% W/v Water for injection IP q.s.	<ul style="list-style-type: none"> All pyretic conditions like pyrexia of unknown origin, ephemeral fever (3 day sickness), Bacterial infections, Viral infections and Pyroplasmosis. 	Large animals- 30 ml/ 400kg body weight Calf, sheep and goat-1ml /10 kg body wt. Dog-0.2-0.5 ml /10 kg body wt. Or as directed by veterinary practitioner.	 99ml
MELOSPAS The powerful muscle relaxant	Each ml contains : Piroxicam IP 10 mg Pitofenone HCL 2 mg Fenpiverinium Bromide 2.02 mg Benzyle Alcohol IP 4.0% v/v Water for injection IP q.s.	<ul style="list-style-type: none"> Acts by powerful muscle relaxant action, controls smooth muscle contractions & potentiates the action of antispasmodic drugs, and provides relief from pain and fever. 	Large Animals: 20-30ml deep IM Route Small Animals: 1ml/15kg B.Wt. deep IM Route for 3-5 Days. Or as directed by veterinary practitioner.	 99ml
ETAMVET Haemostatic medication	Etamsylate BP 125 mg Water for Injection IP q.s.	<ul style="list-style-type: none"> Haemostatic agent (for all type bleeding such as blood in milk and in operative case) 	5 to 10 mg/kg bw. IM/IV. Or as directed by veterinary practitioner.	 30ml


BOLUS, SYRUP & SOAP

PRODUCT	COMPOSITION	INDICATIONS	DOSAGE/USAGE	PACK
BENZOL 3g Bolus BENZOL Syrup Say no to parasites	Albendazole	<ul style="list-style-type: none"> Recommended for the Deworming of ruminants. Broad spectrum, Effective on roundworms & tapeworms in ruminants Indicated for the effective treatment and control of the harmful species of gastrointestinal roundworms, lungworms, grubs, sucking lice and mange mites in cattle, swine, sheep, bison, and horses 	Cattle, Buffalo, Sheep & Goat : 5-10 mg / kg BW Orally For Cattle :60-90 ml For Calf :15-30 ml For Sheep & Goat : 2-3 ml per 10 kg body weight Or as directed by veterinary practitioner.	 10x1 Bolus 30ml syrup
BENZOL-IV Bolus The smart parasite killer	Albendazole 3gm + Ivermectin 100 mg	<ul style="list-style-type: none"> For Treatment of Gastrointestinal Parasites & Effective against most mites, lice & mange 	Cattle, Buffalo, Sheep & Goat : 5 - 10 mg / kg BW by oral route Or as directed by veterinary practitioner.	 10x1 Bolus

BOLUS, SYRUP & SOAP

PRODUCT	COMPOSITION	INDICATIONS	DOSAGE/USAGE	PACK
GROFEN Bolus Safer parasite killer	Fenbendazole 3 gm	<ul style="list-style-type: none"> Fenbendazole bolus is mainly used for the treatment of nematodiasis, cestodiasis of livestock and fowl. It is highly effective to remove gastro-intestinal nematodes, lung worms, and tape worms from animals including cattle, buffaloes, horses and pigs 	Cattle, buffaloes, sheep, goat: Panacur 150 mg tablet per 30 kg body weight and Panacur 1.5 mg bolus per 300 kg body weight (5 mg Fenbendazole per kg body weight). Horses : 7.5 mg per kg body weight Or as directed by veterinary practitioner.	GROFEN 10x1 Bolus
ARMECTIN-10 Bolus ARMECTIN-100 Bolus Broad spectrum Anthelmintic	Ivermectin 10 mg Ivermectin 100 mg	<ul style="list-style-type: none"> Broad spectrum Anthelmintic for the treatment and control of internal parasites of cattle and buffalo. 	200 mcg Ivermectin per kg body weight or Single Tablet of Hitek for 400 kg body weight.	ARMECTIN-10 ARMECTIN-100 10x1 Bolus
OXYLEV-DS Bolus OXYLEV-DS Syrup Safest & Broad spectrum anthelmintic	Oxyclozanide 4 gm + Levamisole 2 gm Oxyclozanide 6% + Levamisole 3%	<ul style="list-style-type: none"> For the control of nematode infestations and chronic fascioliasis in cattle and buffaloes. Oxyclozanide removes practically all flukes (Fasciola spp) present in the bile ducts. Levamisole removes mature and developing immature stages of a wide range of nematodes 	10-15/mg per kg body weight Or as directed by veterinary practitioner.	OXYLEV-DS 10x1 Bolus OXYLEV-DS 100ml Syrup
SULPHA-T Bolus Works in GI and UT infection	Tmp 2 gm + Sulpha 400 mg	<ul style="list-style-type: none"> A combination of two bactericidal chemotherapeutics, Trimethoprim & Sulphamethoxazole. It is effective against gram-ve & gram -ve infections. It is the drug of choice for respiratory, gastrointestinal & urogenital infections. 	Large animals: 4 bolus daily. Small animals: 1-2 bolus daily Or as directed by veterinary practitioner.	SULPHA-T 10x4 Bolus
GROGYL-NTZ Bolus Say no to GI infection	Norfloxacin 1200 mg + Tinidazole 1800 mg	<ul style="list-style-type: none"> Bacterial, viral, protozoan diarrhea Calf scour Nonspecific diarrhea Diarrhea due to intestinal injury and inflammation 	Large Animals: 1-2 bolus twice daily for 3-5 days. Small Animals: 1/2-1 bolus twice daily for 3-5 days. Or as directed by veterinary practitioner.	 10x4 Bolus
ARMOXIL Bolus Effective antibiotic in moderate to severe bacterial infection	Amoxicillin 1500 mg	<ul style="list-style-type: none"> Uro-Genital Infections Mastitis/Metritis Respiratory Tract Infections Skin & Soft Tissue Infections Intra – Abdominal Infections Pre – Surgical Prophylaxis 	Small Animals : 1/2-1 Bolus daily Large Animals : 2-4 Bolus daily Or as directed by veterinary practitioner.	ARMOXIL 10x4 Bolus

BOLUS, SYRUP & SOAP

PRODUCT	COMPOSITION	INDICATIONS	DOSAGE/USAGE	PACK
PARCET-N Bolus Relief from fever, pain & inflammation	Nimesulide 400 mg + Paracetamol 1500 mg	<ul style="list-style-type: none"> For use in acute respiratory infection and diarrhoea in combination with appropriate antibiotic therapy to reduce clinical symptoms in calves and young cattle. For use in acute mastitis, in combination with antibiotic therapy, as appropriate, to reduce clinical symptoms in lactating cows. 	LARGE ANIMALS 2 BOLUS TWICE DAILY Small Animals 1 Bolus twice daily Or as directed by veterinary practitioner.	PARCET-N 10x4 Bolus
AROXYT Bolus Broad spectrum antibiotic	Oxytetracycline 500 mg	<ul style="list-style-type: none"> Oxytetracycline works effectively against a broad range of bacteria and one-celled organisms, such as protozoa. It is active against bacteria that affect the eyes, bone, oral cavity, blood cells, respiratory tract, and sinuses. 	Bacterial enteritis and bacterial pneumonia orally administer 1 tablet per 100 lb of body weight every 12 hours for 4 consecutive days. Or as directed by veterinary practitioner.	AROXYT 10x4 Bolus
METRIA-IU Bolus Effective medicine for female genital tract infection	Nitrofurazone 60 mg + Metronidazole 100 mg + Urea 6 gm + Povidone Iodine 50 mg	<ul style="list-style-type: none"> For use as an antiseptic and proteolytic aid in Cattle, Goat and Sheep Do not administer orally. 	Cattle: 2-4 boluses Sheep: 1/2-1 Bolus For topical application, dissolve 4 boluses in one pint of warm water and thoroughly flush wound. Or as directed by veterinary practitioner.	METRIA-IU 10x4 Bolus
ARFLOXA Bolus Time tested fluoroquinolone antibiotic	Ofloxacin 900 mg	<ul style="list-style-type: none"> Antibiotic for pneumonia, cellulitis, urinary tract infections and certain types of infectious diarrhea 	Large Animals : 1 Bolus twice daily Small Animals : 1/2 bolus twice daily Or as directed by veterinary practitioner.	ARFLOXA 10x4 Bolus
ARFLOXA-TZ Bolus Right combination for GI tract infections	Ofloxacin 900 mg + Tinidazole 2700 mg	<ul style="list-style-type: none"> Combination for infections in the digestive tract that lead to abdominal pain and diarrhea. This combination treats amoebic and protozoan infections. Effective in certain vaginal infections. 	Large Animals : 1-2 Bolus daily Small Animals : 1/2 bolus daily Or as directed by veterinary practitioner.	ARFLOXA-TZ 10x4 Bolus
VET WASH Anti Tick Soap	Permethrin 7% Soap + Cetrimide 1% + Gama Benzene Hexachloride 0.1%	<ul style="list-style-type: none"> Acts against Ticks, Fleas, Mites, and Lice effectively. Eliminates parasites at all stages of their life cycle. Moisturizes the skin. Boosts healing process. Helps in maintaining healthy Hair coat. Provides soothing effect 	Give a bath to the animal with luke warm water and clean-up the body. Apply Vet Wash Vet Soap liberally to work up a rich lather Avoid contact with the sensitive regions such as Eyes & Ears Allow the Soap to remain on the body for about 5 to 15 minutes. Rinse the body thoroughly with clean water. Or as directed by veterinary practitioner.	 75 gm



For more information please write to:
aryanremediesincorporation@gmail.com

Plot No. 16, Sector 6B, IIE, Sidcul, Haridwar-249403 (Uttarakhand)
ISO 9001:2018 & GMP certified co.

